

Quiz #2 (CSE4190.410)

October 6, 2004 (Wednesday)

Name: _____ Dept: _____ ID No: _____

1. (2 points) What are the most serious shortcomings of vector display?
 - (1) It cannot display areas filled with solid colors or patterns.
 - (2) It is very expensive. Its manufacturing cost is considerably higher than raster display.

2. (2 points) What had been the main obstacles of raster display in the past?
 - (1) Large memory requirement for frame buffer.
 - (2) Much computation time for rasterization.

3. (2 points) In which applications/situations is the color lookup table useful?
 - (1) Simple animations such as bouncing balls and liquid flows, etc.
 - (2) Color display systems with limited memory space.

4. (4 points) Three lines $L_i : a_i x + b_i y + c_i = 0, i = 1, 2, 3$, share a common intersection point if and only if

$$\begin{vmatrix} a_1 & b_1 & c_1 \\ a_2 & b_2 & c_2 \\ a_3 & b_3 & c_3 \end{vmatrix} = 0.$$

Explain why.

The intersection point of two lines L_2 and L_3 is given as $(a_2, b_2, c_2) \times (a_3, b_3, c_3)$ in homogeneous coordinates. This point is located on the line L_1 if and only if

$$\langle (a_1, b_1, c_1), (a_2, b_2, c_2) \times (a_3, b_3, c_3) \rangle = 0,$$

which is equivalent to the above equation.

5. (4 points) In a scan-line polygon-fill algorithm, the change in y coordinates between two scan lines is $y_{k+1} = y_k + 1$, and the corresponding x intercepts along a boundary edge change based on

$$x_{k+1} = x_k + \frac{\Delta x}{\Delta y}.$$

We can use integer arithmetics so as to round the x intercepts to the nearest pixel value. We initialize a counter to 0 and increment the counter by $2\Delta x$ at each step. Then how should we proceed?

Compare the counter with Δy . If it is greater than or equal to Δy , we increase the x value by 1 and decrement the counter by $2\Delta x$, and continue the same procedure.

6. (6 points) Many rasterization algorithms can be extended to similar voxelization algorithms for 3D volume graphics.
- (a) (2 points) Discuss how to extend Bresenham's line-drawing algorithm to a voxelization algorithm for generating a 3D line segment connecting two points (x_0, y_0, z_0) and (x_1, y_1, z_1) , where the coordinate values are given as integers.

We may assume $|x_0 - x_1| \geq |y_0 - y_1|, |z_0 - z_1|$. Apply 2D Bresenham's algorithm to the projection to the xy -plane and to the projection to the xz -plane, and combine the two results.

- (b) (4 points) Consider an algorithm for voxelizing a 3D triangle T with three vertices (x_0, y_0, z_0) , (x_1, y_1, z_1) , and (x_2, y_2, z_2) , where the coordinate values are given as integers. Assuming the triangle T is contained in a plane $L : ax + by + cz + d = 0$, discuss how to apply a sequence of 3D Bresenham's line-drawing algorithm.

We may assume $|a| \leq |b| \leq |c|$. Now we consider a scanline $y = y_*$ for a 2D triangle T_{xy} with three vertices (x_0, y_0) , (x_1, y_1) , and (x_2, y_2) in the xy -plane. The line of intersection between the 3D triangle T and the plane $y = y_*$ can be generated by applying 2D Bresenham's algorithm to a line

$$ax + cz + (by_* + d) = 0.$$

The end points of this line are taken from the voxelized edges of the triangle T by 3D Bresenham's algorithm.

Remark: The end points of these 3D lines are approximations to the exact intersection points of the triangle edges and the plane $y = y_*$. Thus the interior voxels thus generated may not be the best approximation to the triangle T .

7. (5 points) Bresenham's algorithm tests the sign of the following integer expression at each step

$$2[m(x_k + 1) + b] - 2(y_k + 0.5).$$

Explain how to modify the above expression so that the new expression represents the overlap area of a polygon with the pixel at (x_k, y_k) .

Divide this expression by 2 and add $(1 - m)$. Then we have

$$[m(x_k + 1) + b] - (y_k + 0.5) + (1 - m) = mx_k + b - y_k + 0.5,$$

which is the same as the overlap area.